

NETWORK ÜRÜNLER

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
2MP IP KAMERA			
DS-2CD1023G0-IUF (Dahili mikrofon) 2MP		2MP Mini IR Bullet Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect , TF card slot, *power supply no included	€ 106.00
DS-2CD1323G0-IUF (Dahili mikrofon) 2MP		2MP Mini IR Dome Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect , TF card slot, *power supply no included	€ 106.00
DS-2CD1123G0-IUF 2MP		2MP Mini IR Dome Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect , TF card slot, *power supply no included	€ 106.00
DS-2CD2021G1-I 2MP		2MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive CMOS, ICR, Color: 0.028 Lux @(F2.0; AGC ON), 0lux with IR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, DC12V & PoE, 3D DNR, DWDR, BLC, IR range: up to 30m, HIK-Connect cloud service	€ 132.00
DS-2CD2121G0-I 2MP		2MP Mini IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive CMOS, ICR, Color: 0.028 Lux @(F2.0; AGC ON), 0lux with IR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, DC12V & PoE, 3D DNR, DWDR, BLC, IR range: up to 30m, Support on-board storage (SD card not included), HIK-Connect cloud service. 3-Axis Adjustment.	€ 132.00
DS-2CD1027G0-LUF (Dahili mikrofon) 2MP 		2MP Mini Bullet Kamera (H.265+) ColorVu DWDR 1/2.8" Progressive CMOS, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, up to 30m warm light, DC12V & PoE, Full Metal, Support mobile monitoring via Hik-Connect *power supply no included. Built- in Microphone.	€ 156.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CD1327G0-LUF (Dahili mikrofon) 2MP ColorVu		2MP Mini Dome Kamera (H.265+) ColorVu DWDR 1/2.8" Progressive CMOS, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, up to 30m warm light, DC12V & PoE, IP67, Support mobile monitoring via Hik-Connect *power supply no included. Built-in Microphone.	€ 156.00
DS-2CD2423G0-IW 2MP Wi-Fi		2MP Cube Kamera (H.265+) 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.028 Lux @ (F2.0, AGC ON), 0 lux with IR; 25Fps/30fps(1920x1080); VCA functions; 3 streams; WDR; 3D DNR; BLC; BLC/HLC; ICR; EXIR, up to 10m; support on-board storage up to 128GB(SD card slot), Hik-Connect cloud service, Build-in microphone and speaker ; Built-in 2.4G Wi-Fi, 802.11b/g/n; 12VDC&PoE power supply.	€ 178.00
DS-2CD2026G2-I (Powered by Darkfighter) 2MP AcuSense		2MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-U model: Built-in microphone	€ 226.00
DS-2CD2T26G2-4I (Powered by Darkfighter) 2MP AcuSense		2MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-2I/4I model: up to 50m(2Leds)/80m(4Leds) IR distance	€ 272.00
DS-2CD1623G0-IZS 2MP		2MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, DWDR, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens - IP67	€ 198.00
DS-2CD1723G0-IZS 2MP		2MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, DWDR, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens - IP67-IK10	€ 198.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CD2626G2-IZS (Powered by Darkfighter) 2MP 		2MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O	€ 452.00
DS-2CD2726G2-IZS (Powered by Darkfighter) 2MP 		2MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O	€ 452.00
4MP IP KAMERA			
DS-2CD1043G0-IUF (Dahili mikrofon) 4MP		4MP Mini IR Bullet Kamera (H.265+) 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included TF card slot,	€ 124.00
DS-2CD1343G0-IUF (Dahili mikrofon) 4MP		4MP Mini IR Dome Kamera (H.265+) 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included TF card slot,	€ 124.00
DS-2CD1143G0-IUF (Dahili mikrofon) 4MP		4MP Mini IR Bullet Kamera (H.265+) 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included TF card slot,	€ 130.00
DS-2CD2043G0-ICKV 4MP		4MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive CMOS, ICR, Color: 0.028 Lux @(F2.0; AGC ON), 0lux with IR, 2560*1440:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, built in mircophone,DC12V & PoE, 3D DNR, BLC, IR range: up to 30m, HIK-Connect cloud service	€ 146.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CD2143G0-ISCKV 4MP		4MP Mini IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive CMOS, ICR, Color: 0.028 Lux @(F2.0; AGC ON), 0lux with IR, 2560*1440:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, built in microphone, DC12V & PoE, 3D DNR, BLC, IR range: up to 30m, Hik-Connect cloud service	€ 146.00
DS-2CD1347G0-L (Dahili mikrofon) 4MP ColorVu		4MP Mini Dome Kamera (H.265+) ColorVu DWDR 1/2.7" Progressive CMOS, ICR, 2560x1440:20fps, H.265+/H.265/H.264+&H.264, 3D DNR, BLC, up to 30m warm light, F1.0, DC12V & PoE, Support mobile monitoring via Hik-Connect *power supply no included	€ 240.00
DS-2CD1047G0-LUF (Dahili mikrofon) 4MP ColorVu		4MP Mini Bullet Kamera (H.265+)ColorVu DWDR 1/2.7" Progressive CMOS, ICR, 2560x1440:20fps, H.265+/H.265/H.264+&H.264, 3D DNR, BLC, up to 30m warm light, F1.0, DC12V & PoE, Support mobile monitoring via Hik-Connect *power supply no included	€ 250.00
DS-2CD2047G2-L 4MP ColorVu		4MP Mini IR Bullet Kamera(H.265+)ColorVu 130dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Hik-Connect cloud service; -U:Built-in microphone	€ 298.00
DS-2CD2347G2-L 4MP ColorVu		4MP Mini IR Bullet Kamera(H.265+)ColorVu 130dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.0014 lux (F1.0, AGC ON), 0 lux with LED on; 25fps/24fps(2592x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Hik-Connect cloud service	€ 320.00
DS-2CD2T47G2-L 4MP ColorVu		4MP Bullet Kamera (H.265+) ColorVu 130dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.00014 lux (F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688x1520, 2560x1440, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Hik-Connect cloud service	€ 380.00


ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CD1643G0-IZS/UK 4MP		4MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens	€ 212.00
DS-2CD1743G0-IZS/UK 4MP		4MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2304x1296:25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens	€ 212.00
DS-2CD2743G2-IZS 4MP 		4MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; Audio/Alarm IO; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Hik-Connect cloud service	€ 330.00
DS-2CD2643G2-IZS 4MP 		4MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 Lux @ (F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; Audio/Alarm IO; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Hik-Connect cloud service	€ 394.00
DS-2CD2646G2-IZS (Powered by Darkfighter) 4MP 		4MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS((C) model); H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.003 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(2688x1520, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Hik-Connect cloud service; Audio/Alarm I/O *non-(C) model: 1/2.7" Progressive Scan CMOS	€ 470.00



ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CD2746G2-IZS (Powered by Darkfighter) 4MP AcuSense		4MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/3" Progressive Scan CMOS((C) model); H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.003 lux @(F1.4, AGC ON), 0 lux with IR; 25fps/30fps(2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm I/O *non-(C) model:1/2.7" Progressive Scan CMOS	€ 494.00
6MP IP KAMERA			
DS-2CD2063G2-I 6MP		6MP Mini IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *-U: built-in microphone	€ 244.00
DS-2CD2T63G2-2I 6MP AcuSense		6MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3200x1800), 25fps/30fps (2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *-2I/4I model: up to 60m(2Leds)/80m(4Leds) IR distance	€ 276.00
DS-2CD2666G2-IZS 6MP		6MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.4" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.003 lux@(F1.6, AGC ON), 0 lux with IR; 25fps/30fps (3200x1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Built-in Audio/Alarm I/O	€ 516.00
8MP IP KAMERA			
DS-2CD2T83G2-2I 8MP AcuSense		8MP IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200x1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; *-2I/4I model: up to 60m(2Leds)/80m(4Leds) IR distance	€ 332.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CD2T86G2-2I (Powered by Darkfighter)  		8MP IR Bullet Kamera (H.265+) 120dB WDR 1/1.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.014 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3072×1728, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-2I/4I model: up to 50m(2Leds)/80m(4Leds) IR distance	€ 394.00
DS-2CD2683G2-IZS  		8MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 60m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm IO	€ 530.00
DS-2CD2783G2-IZS  		8MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.005 lux@(F1.6, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3200×1800, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 40m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; Audio/Alarm IO	€ 530.00
DS-2CD2686G2-IZS (Powered by Darkfighter)  		8MP Motorize Varifokal Lensli IR Bullet Kamera (H.265+) 120dB WDR 1/2" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.011 Lux @ (F1.4, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3072×1728, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 50m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm I/O, HIK-Connect cloud service	€ 594.00
DS-2CD2786G2-IZS (Powered by Darkfighter)  		8MP Motorize Varifokal Lensli IR Dome Kamera (H.265+) 120dB WDR 1/1.8" Progressive Scan CMOS; 265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.011 Lux @ (F1.4, AGC ON), 0 lux with IR; 20fps(3840×2160), 25fps/30fps (3072×1728, 2688×1520, 1920×1080); VCA functions; 3 streams; 3D DNR; BLC/HLC; ICR; EXIR, up to 30m; DC12V&PoE; Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm I/O, HIK-Connect cloud service	€ 620.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
PTZ KAMERALAR			
IP PTZ KAMERA			
DS-2DE4215IW-DE (Ayak dahil) 2MP 		2MP Network Dış Ortam IR PTZ Kamera (H.265+, 15X, 100m IR, deep learning) 1/2.8" progressive scan CMOS High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 15× optical zoom and 16× digital zoom provide close up views over expansive areas. WDR, HLC, BLC, 3D DNR, defog, EIS, regional exposure, regional focus Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	€ 572.00
DS-2DE4225IW-DE (Ayak dahil) 2MP 		2MP Network Dış Ortam IR PTZ Kamera (H.265+, 25X, 100m IR, deep learning) 1/2.8" progressive scan CMOS. High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 25× optical zoom and 16× digital zoom provide close up views over expansive area. WDR, HLC, BLC, 3D DNR, defog, EIS, regional exposure, regional focus Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	€ 686.00
DS-2DE4425IW-DE (Ayak dahil) 4MP 		4MP Network Dış Ortam IR PTZ Kamera (H.265+, 25X, 100m IR) 1/2.8" progressive scan CMOS. High quality imaging with 4 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 25× optical zoom and 16× digital zoom provide close up views over expansive areas WDR, HLC, BLC, 3D DNR, defog, EIS, regional exposure, regional focus Expansive night view with up to 100 m IR distance Support H.265+/H.265 video compression	€ 708.00
DS-2DE5232IW-AE (Ayak dahil) 4MP 		2MP Network Dış Ortam IR PTZ Kamera (H.265+, 32X, 150m IR, deep learning) 1/2.8" Progressive Scan CMOS. High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. 32× optical zoom and 16× digital zoom provide close up views over expansive areas WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus Expansive night view with up to 150 m IR distance 24 VAC & PoE (802.3at) Efficient H.265+/H.265 compression technology	€ 1,272.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2DE5432IW-AE (Ayak dahil) 4MP 		4MP Network Dış Ortam IR PTZ Kamera (H.265+, 32X, 150mt,deep learning) 1/2.5" CMOS,H.265+/H.265/H.264+/H.264 codec, 3D DNR, True WDR, Ultra-low light Powered By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom:32x,, Digital Zoom:16X, 150m IR 2560*1440:30fps, Pan Speed: 0.1° -120°/s, Tilt Speed: 0.1° - 80°/s, Hi-PoE&24VAC Smart Detection,Smart Tracking	€ 1,426.00
DS-2DE7A232IW-AEB 4MP 		4MP Network Dış Ortam IR PTZ Kamera (32X, 200m IR, IP66, deep learning) 1/2.8" progressive scan CMOS. High quality imaging with 2 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32× optical zoom and 16× digital zoom provide close up views over expansive areas. Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning. Face capture: Up to 5 faces captured at the same time	€ 1,430.00
DS-2DE7A432IW-AEB 4MP 		4MP Network Dış Ortam IR PTZ Kamera (32X, 200m IR, IP66, deep learning) 1/2.8" progressive scan CMOS. High quality imaging with 4 MP resolution. Excellent low-light performance with powered-by-DarkFighter technology. Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32× optical zoom and 16× digital zoom provide close up views over expansive areas. Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning. Face capture: Up to 5 faces captured at the same time	€ 1,520.00
ANALOG PTZ KAMERA			
DS-2AE4225TI-D 2MP		4-inch 2 MP 25X Powered by DarkFighter Analog Speed Dome 1/2.8" CMOS, 1920x1080:30fps, TVI & CVBS output, 3D DNR, True WDR, Ultra-low light Powerde By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom:25x, Digital Zoom:16X, Pan Speed: 0.1° ~ 80°/s, Tilt Speed: 0.1° ~ 80°/s, Up the Coax,100mIR,DC12V	€ 798.00
DS-2AE7232TI-A 2MP		7-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome 1/2.8" CMOS, 1920x1080:30fps, TVI/AHD/CVI/CVBS output, 3D DNR, True WDR, Ultra-low light Powerde By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom:32x, Digital Zoom:16X, Pan Speed: 0.1° ~ 160°/s, Tilt Speed: 0.1° ~ 120°/s, Up the Coax, 150m IR, AC24V	€ 1,544.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
NETWORK VIDEO KAYIT CİHAZLARI			
4 KANAL NVR			
DS-7104NI-Q1		4 Kanal NVR (1 SATA, H.265+) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, mini 1U case(Plastic)	€ 120.00
DS-7104NI-Q1/4P		4 Kanal NVR (1 SATA, H.265+, POE) 40Mbps Bit Rate Input Max (up to 4-ch IP video) 1 SATA interface, 4 independent PoE network interfaces, mini 1U case(Plastic)	€ 226.00
DS-7104NI-Q1/M		4 Kanal NVR (1 SATA, H.265+) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, mini 1U case(Metal)	€ 132.00
DS-7104NI-Q1/4P/M		4 Kanal NVR (1 SATA, H.265+, POE) 40Mbps Bit Rate Input Max (up to 4-ch IP video) 1 SATA interface, 4 independent PoE network interfaces, mini 1U case(Metal)	€ 216.00
DS-7604NI-K1		4 Kanal NVR (1 SATA, H.265+) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, standalone 1U case	€ 202.00
DS-7604NI-K1/4P		4 Kanal NVR (1 SATA, H.265+, POE) 40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interfaces, 4 independent PoE network interfaces, standalone 1U case	€ 300.00
8 KANAL NVR			
DS-7108NI-Q1		8 Kanal NVR (1 SATA, H.265+) 60Mbps Bit Rate Input Max (up to 8-ch IP video), 1 SATA interface, mini 1U case(Plastic)	€ 146.00
DS-7108NI-Q1/M		8 Kanal NVR (1 SATA, H.265+) 60Mbps Bit Rate Input Max (up to 8-ch IP video), 1 SATA interface, mini 1U case(Metal)	€ 158.00
DS-7108NI-Q1/8P/M		8 Kanal NVR (1 SATA, H.265+, POE) 60Mbps Bit Rate Input Max (up to 8-ch IP video) 1 SATA interface, 8 independent PoE network interfaces, mini 1U case(Metal)	€ 304.00
DS-7608NI-K2/8P		8 Kanal NVR (2 SATA, H.265+, POE) 80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1	€ 544.00
DS-7608NI-I2		8 Kanal NVR (2 SATA, H.265+) 80Mbps Bit Rate Input Max(up to 8-ch IP video), 2 SATA Interfaces, alarm I/O: 4/1, 380 1U case	€ 582.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-7608NI-I2/8P		8 Kanal NVR (2 SATA, H.265+ , POE) 80Mbps Bit Rate Input Max(up to 8-ch IP video), 2 SATA Interfaces, 8 independent PoE network interfaces, alarm I/O: 4/1, 380 1U case	€ 828.00
16 KANAL NVR			
DS-7616NI-Q2		16 Kanal NVR (4 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case	€ 310.00
DS-7616NI-Q2/16P		16 Kanal NVR (4 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case	€ 590.00
DS-7616NI-K2		16 Kanal NVR (2 SATA, H.265+) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case, alarm I/O: 4/1	€ 352.00
DS-7616NI-K2/16P		16 Kanal NVR (2 SATA, H.265+, POE) 160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1	€ 702.00
DS-7716NI-Q4		16 Kanal NVR (4 SATA, H.265+) 160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 580.00
DS-7716NI-K4/16P		16 Kanal NVR (4 SATA, H.265+, POE) 160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 1,104.00
32 KANAL NVR			
DS-7632NI-K2UHK		32 Kanal NVR (4 SATA, H.265+) 256Mbps Bit Rate Input Max(up to 32-ch IP video), 2 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 572.00
DS-7732NI-K4		32 Kanal NVR (4 SATA, H.265+) 256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 778.00
DS-7732NI-I4		32 Kanal NVR (4 SATA, H.265+) 256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	€ 1,268.00
DS-8632NI-I8		32 Kanal NVR (8 SATA, H.265+) 320Mbps Bit Rate Input Max(up to 32-ch IP video), 8 SATA interfaces, alarm I/O: 16/4(16/8 optional), 2U case,19"	Sorunuz
64 KANAL NVR			
DS-8664NI-I8		64 Kanal NVR (8 SATA, H.265+) 320Mbps Bit Rate Input Max(up to 64-ch IP video), 8 SATA interfaces, alarm I/O: 16/4(16/8 optional), 2U case,19"	Sorunuz

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
HD-TVI ÜRÜNLER (HD-TVI PRODUCTS)			
1080p HD TVI KAMERA 4X1			
DS-2CE16D0T-EXIPF 2MP		Harici 1080p Mini IR Bullet Kamera 2MP CMOS Sensor, 1 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.02 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 38.00
DS-2CE76D0T-EXIPF 2MP		Dahili 1080p Mini IR Dome Kamera 2MP CMOS Sensor, 1 pcs EXIR LEDs, 20m IR, Indoor EXIR Turret, ICR, 0.02 Lux/F1.2, 12 VDC, Smart IR, DNR, 2.8/3.6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 38.00
DS-2CE16D0T-EXIF 2MP		Harici 1080p Mini IR Bullet Kamera 2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.02 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 44.00
DS-2CE76D0T-ITPF 2MP		Dahili 1080p Mini IR Dome Kamera 2MP CMOS Sensor, EXIR 20m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 44.00
DS-2CE56D0T-IRPF 2MP		Dahili 1080p Mini IR Dome Kamera 2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Indoor IR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 48.00
DS-2CE16D0T-ITF 2MP		Harici 1080p Mini IR Bullet Kamera 2MP CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 54.00
DS-2CE16D0T-IRF 2MP		Harici 1080p Mini IR Bullet Kamera 2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 56.00
DS-2CE16D0T-IT3F 2MP		Harici 1080p IR Bullet Kamera 2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 77.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
DS-2CE16D0T-IT5F 2MP		Harici 1080p IR Bullet Kamer 2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 84.00
DS-2CE16D0T-VFIR3F 2MP		Dahili/Harici 1080p IR Vari-focal Bullet Kamera 2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8~12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 116.00
DS-2CE56D0T-VPIR3F 2MP		Dahili/Harici 1080p Vari-focal IR Dome Kamera 2MP CMOS Sensor, 24 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Vandal Proof, 2.8~12mm Lens, Support TVI/AHD/CVI/CVBS video signal output, Support Gang box Installation	€ 148.00
1080p HD TVI KAMERA ColorVu			
DS-2CE10DF0T-PF 2MP ColorVu		Harici 1080p IR Bullet Kamera (ColorVu) 2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), IP67, 2.8/3.6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 82.00
DS-2CE70DF0T-PF 2MP ColorVu		Dahili/Harici 1080p IR Dome Kamera (ColorVu) 2M CMOS Sensor, Indoor Turret, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 2.8/3.6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 82.00
DS-2CE10DF0T-F 2MP ColorVu		Harici 1080p IR Bullet Kamera (ColorVu) Metal 2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), IP67, 2.8/3.6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 92.00
DS-2CE12DF0T-F 2MP ColorVu		Harici 1080p IR Bullet Kamera (ColorVu) 2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 40m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 118.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
5MP HD TVI KAMERA			
DS-2CE56H0T-ITPF 5MP		Dahili/Harici 5MP EXIR Dome Kamera (20mt, Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Indoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	€ 70.00
DS-2CE76H0T-ITPF 5MP		Dahili/Harici 5MP EXIR Dome Kamera (20mt, Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Indoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.4/2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	€ 74.00
DS-2CE16H0T-ITPF 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (20mt, Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 80.00
DS-2CE16H0T-ITF 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (20mt, Metal) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 86.00
DS-2CE16H0T-IT3F 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (40mt, Metal+Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 94.00
DS-2CE16H0T-IT5F 5MP		Dahili/Harici 5MP EXIR Bullet Kamera (80mt, Metal+Plastik) 5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	€ 102.00
DS-2CE10KF0T-PFS 5MP 		Dahili/Harici 5MP ColorVu Bullet Kamera (20mt, Metal) 3K (5MP 16:9) CMOS Sensor,3K @ 20 fps(Default),Outdoor Bullet,0.001Lux/F1.0,0 Lux with white Light,20m,2D DNR,Built-in Mic,Audio up Coaxial(Only TVI),12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens,24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 112.00
DS-2CE70KF0T-PFS 5MP 		Dahili/Harici 5MP ColorVu Dome Kamera (20mt, Plastik) 3K (5MP 16:9) CMOS Sensor,3K @ 20 fps(Default),Indoor Turret,0.001Lux/F1.0,0 Lux with white Light,20m,2D DNR,Built-in Mic,Audio up Coaxial(Only TVI),12 VDC,OSD Menu(Up the Coax), 2.8/3.6mm Lens,24H Color, Support TVI/AHD/CVI/CVBS video signal output	€ 112.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
HD-TVI KAYIT CİHAZLARI (HD-TVI DVR)			
4 KANAL TURBO HD DVR			
DS-7104HGHI-K1		4 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1-ch IP video input, 1 SATA interface, HD1080P Lite: 25(P)/30(N) fps/ch, mini 1U case	€ 98.00
DS-7104HQHI-K1 (Turbo HD 4.0)		4 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 2-ch IP video input(up to 6-ch IP),1 SATA interface,CH01: 3MP@15fps, CH01-04:1920×1080P/4MP Lite@15fps/ch, mini 1U case	€ 154.00
DS-7204HGHI-F1		4 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1-ch IP video input, 1 SATA interface, HD1080P Lite: 25(P)/30(N) fps/ch, 260 1U case	€ 110.00
iDS-7204HQHI-M1/S 		4 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 1-ch face detection or 2-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01: 3MP @ 15fps, CH01-04:1920×1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output,standalone 1U case	€ 178.00
iDS-7204HUHI-M1/S 		4 Kanal HD-TVI Hibrit Kayıt Cihazı (8MP) 1-ch face detection or 4-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	€ 282.00
8 KANAL TURBO HD DVR			
DS-7108HGHI-K1		8 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: : 25(P)/30(N) fps/ch, mini 1U case	€ 116.00
DS-7108HQHI-K1 (Turbo HD 4.0)		8 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 4-ch IP video input(up to 12-ch IP),1 SATA interface,CH01&02:3MP@15fps, CH01-08:1920×1080P/4MP Lite@15fps/ch, mini 1U case	€ 262.00
DS-7208HGHI-K1		8 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: : 25)/(P30(N) fps/ch, 260 1U case	€ 118.00
DS-7208HUHI-K1 (Turbo HD 4.0)		8 Kanal HD-TVI Hibrit Kayıt Cihazı (5MP) 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&4-ch audio input, 8-ch IP video input(up to 16-ch IP), 1 SATA interface, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, standalone 1U case	€ 368.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
iDS-7208HQHI-M1/S 		8 Kanal HD-TVI Hibrit Kayıt Cihazı (4MP Lite) 1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01 & 02: 3MP @ 15fps, CH01-08:1920×1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	€ 270.00
iDS-7208HUHI-M1/S 		8 Kanal HD-TVI Hibrit Kayıt Cihazı (5MP) 1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, standalone 1U case	€ 466.00
16 KANAL TURBO HD DVR			
DS-7116HGHI-K1		16 Kanal HD-TVI Kayıt Cihazı (1080P) 16 Turbo HD/AHD/Analog interface input, 16-ch HDTV coaxial video&audio input, 1-ch RCA audio input, 8-ch IP video input(up to 24-ch IP), 1 SATA interface, CH01-04: 3MP @ 15fps, CH01-16:1920×1080P/4MP Lite@15 fps/ch, 4K UHD output, mini 1U case	€ 214.00
DS-7116HQHI-K1 (Turbo HD 4.0)		16 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 8-ch IP video input(up to 24-ch IP), 1 SATA interface, CH01-04: 3MP @ 15fps, CH01-16:1920×1080P/4MP Lite@15 fps/ch, 4K UHD output, mini 1U case	€ 400.00
DS-7216HGHI-K1		16 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: 15fps/ch, 260 1U case	€ 234.00
iDS-7216HQHI-M1/S 		16 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 1-ch face detection or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01-04: 3MP @ 15fps, CH01-16:1920×1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, standalone 1U case	€ 460.00
iDS-7216HQHI-M2/S 		16 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 1-ch face detection or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-16:1920×1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, 380 1U case	€ 528.00

ÜRÜN KODU (Model Number)	RESİM (Picture)	ÜRÜN AÇIKLAMASI / ÖZELLİK (Product Description)	FİYAT (MSRP)
32 KANAL TURBO HD DVR			
DS-7232HGHI-K2 (Turbo HD 4.0)		32 Kanal HD-TVI Kayıt Cihazı (1080P Lite) 32 Turbo HD/AHD/Analog interface input, 32-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 2 SATA interface, HD1080P Lite: 15fps/ch, 380 1U case	€ 672.00
DS-7232HQHI-K2 (Turbo HD 4.0)		32 Kanal HD-TVI Kayıt Cihazı (4MP Lite) 32 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 32-ch video&1-ch audio input, 8-ch IP video input(up to 40-ch IP), H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-32:1920×1080P @15 fps, 4MP Lite @15 fps/ch, 4K UHD output, support CVBS output, 380 1U case	€ 928.00

FİYAT LİSTESİ KULLANIM ŞARTLARI

- Bu liste fiyatı üretici tarafından önerilen fiyat listesidir.
- Ürünlerimiz 2 yıl ithalatçı firma garantisindedir.
- Vergi oranlarındaki değişiklikler fiyatlarımıza aynen yansıtılır.
- Belirtilen fiyatlara KDV oranı dahil değildir.
- Kayıt cihazlarında harddisk yoktur.Box Kameralara Lens dahil değildir.
- Fiyat listesinde belirtilen, fiyat bilgileri ,ürün kodları, ürün özellikleri, ürün açıklamaları değişiklik gösterebilir.
- Stoklar ve bulunmayan ürünlerin teslim süresi için Yetkili Distribütör firmadan bilgi alınması rica olunur.
- HIKVISION Dijital Teknoloji önceden haber vermeksizin listede yer alan fiyat koşullarını değiştirme haklarını gizli tutar.
- Oluşabilecek yazım, baskı ve dizgi hataları bağlayıcı değildir.